

From Blackboard to Bedside: high-dimensional geometry is transforming the MRI industry

Aide Memoire for Professor David Donoho's Congressional Briefing¹

Wednesday June 28, 2017

1. Background.

MRI scans are crucial tools in modern medicine: 40 Million scans are performed yearly in the US. Individual 2D MR images portray soft tissues that X-ray CT can't resolve, without the radiation damage that X-rays produce. MRIs are essential in some fields: e.g. to neurologists seeking to pinpoint brain tumors or study demyelinating diseases and dementia.

MRI technology is remarkably flexible, constantly spawning new applications. Dynamic MRIs allow cardiologists to view 'movies' showing muscular contractions of the beating heart. 3D Head MRIs allow neurosurgeons to meticulously plan life-and-death brain surgeries, in effect to conduct virtual 'fly throughs' ahead of time.

Traditionally MRIs required lengthy patient immobilization -- in some cases hours. Long scan times limit the number of patients who can benefit from MRI, and increase the cost of individual MRIs. Long scan times also make it difficult to serve fidgety children. Ambitious variations of MR imaging -- such as dynamic cardiac imaging and 3D MRI -- require far longer scan times than simple 2D imaging; such long scan times have typically been awkward or even prohibitive. Yet patients with arrhythmias and afib could get better treatment based on dynamic cardiac imaging; patients with aggressive prostate cancer could get much more accurate biopsies under 3D MRI guidance; and many neurosurgeries could be much safer and more effective if surgeons could plan surgeries with 3D MRI-based flythroughs before hand.

Help is on the way: inspired by federally funded mathematical sciences research, patients everywhere will soon complete traditional clinical MRI scans much more rapidly. Ambitious but previously rarely available MRI applications will go mainstream.

2. Accelerated Imaging by Compressed Sensing

In 2017, the FDA approved two new MRI devices which dramatically speed up important MRI applications, from 8x to 16x. Siemens' technology (CS Cardiac Cine) allows movies of the beating heart; GE's technology (HyperSense) allows rapid 3D imaging, for example of the brain.

Both manufacturers say their product is using *Compressed Sensing (CS)*, a technology that first arose in the academic literature of Applied Mathematics and Information Theory.

¹ Aide Memoire for American Mathematical Society/Mathematical Sciences Research Institute Congressional Briefing, Russell Senate Office Building, Washington DC. Attendees included Congressional staffers, NSF Division of Mathematical Sciences Director and some program managers; we even had visits from Senate Minority Leader Charles Schumer and House Minority Leader Nancy Pelosi. David Eisenbud (MSRI), Karen Saxe (AMS), Anita Benjamin (AMS) and Kirsten Bohl (MSRI) organized this event.

Roughly 10 years ago, mathematicians, including Emmanuel Candès, now at Stanford, Terence Tao of UCLA, and myself, put forward theorems showing that compressed sensing could reduce the number of measurements needed to reconstruct certain signals and images. Partly inspired by these new mathematical results, MRI researchers such as Michael Lustig (now at Berkeley) and collaborators in John Pauly's lab at Stanford began to work intensively on new scanning protocols and algorithms. Compressed-sensing-inspired imaging became in the next few years a leading theme at international conferences of MRI researchers. Convincing clinical evidence soon emerged. Shreyas Vasanawala at Lucille Packard Children's hospital (Stanford), and co-authors (including Lustig and Pauly) showed in 2009 that pediatric MRI scan times could be reduced in representative tasks from 8 minutes to 70 seconds, while preserving the diagnostic quality of images. Fidgety children could thus be imaged successfully and comfortably with far less frequent use of sedation. Other researchers demonstrated impressive speedups in dynamic heart imaging in the clinical setting. Manufacturers ultimately became convinced; serious commercial development followed, leading to 2017's FDA bioequivalence approvals.

Researchers at GE and Siemens tell me that accelerated imaging can be expected to spread broadly to many other MRI settings. The industry welcomes the new approach to accelerate MRI scans, and is seeking to deploy it where possible.

Transforming the MR industry takes time. In each proposed application, the FDA must first certify that accelerated imaging is *bioequivalent* to traditional imaging: i.e. that it really can produce diagnostic quality images in less scan time. Seeking FDA approval demands a rigorous multi-step evaluation taking years. From this viewpoint, it seems stunning that compressed-sensing inspired products are now on the market, only about a decade after the initial academic journal articles. This is certainly a testament to the energy and talents of MRI researchers and developers, and also a sign that the underlying mathematics was solid, reliable, and applicable.

The technology remains to be deployed into hospitals and clinics. More than 5 billion USD in MR scanners are sold annually; service and maintenance costs add billions more. There are tens of thousands of MRI scanners installed in the US currently, and many more worldwide. Improving MRI, by whatever means -- mathematical ideas like compressed sensing, or physical ingredients like more powerful magnets -- is always a gradual process of getting new equipment into the marketplace or retrofitting existing scanners.

For patients, such improvements can't come soon enough. My own son is a neurosurgery resident at a large county hospital that serves many indigent and uninsured patients. He treats dramatic injuries to the head, from gunshot wounds, blunt force trauma, and car wrecks; but also less dramatic yet serious problems like aneurysms and brain tumors. In his hospital, which does not yet have the accelerated MRI technology I've been speaking about, lengthy delays for MRIs are common; sometimes he must open the patient's cranium without any MRI at all. In other cases, he only can inspect a few 2D slices, rather than a full 3D image.

My son's comment about accelerating MRIs: 'Faster, please'.

3. The Role of Mathematics Research

NSF-funded Mathematical Sciences research, and NIH funding of cognate disciplines played a key role in these developments.

First: how can mathematics be helpful? Don't the MRI researchers have all the equipment they need to simply do whatever they need, and then see experimentally if it works?

The answer is interesting. Mathematicians build formal models of systems and then derive logical consequences of those formal models. Whatever Mathematicians discover about such models is *logically certain*. In everyday experience, almost anything can be doubted, nothing is as it seems, whatever can go wrong will go wrong, etc. In mathematics, a true statement is true, full stop. If a mathematical theorem says something surprising or impressive, you don't waste time doubting the messenger – you just read the proof and (if you have the background) you will see why the theorem is true.

Mathematical results can be transformative when applied to a phenomenon in the real world that is poorly understood and as a result controversial. And in the case of accelerated scanning, that was the case. Prior to the mathematical work I mentioned above, isolated projects had observed experimentally that in special circumstances, researchers obtained impressive speed improvements over traditional MRI scanning. However, the MRI community as a whole was uncertain about the scope of such isolated results, and the impact of the published experimental evidence was therefore limited.

Mathematical research can go farther and deeper than experiments ever will go. It can give *guarantees* that certain outcomes will *always* result or that certain outcomes will *never* result. When you first hear of such a guarantee, it can rock your world.

Early mathematical results about compressed sensing *guaranteed* imaging speedups under certain conditions. This got the attention of MRI researchers and inspired some, such as Michael Lustig, to go 'all in' on Compressed Sensing. Eventually, the mathematical certainty offered by the guarantees and their breadth broke the apparent 'logjam' of hesitation and suspicion that would have otherwise greeted MRI. Compressed Sensing became a hot topic in MRI research.

Mathematics can also be a floodlight illuminating clearly the poorly understood path ahead. MRI researchers have always wanted to accelerate MRI; they just didn't see how to do it. Mathematicians proposed new algorithms and gave persuasive guarantees based on illuminating principles.


4. Some Mathematics

I'll mention very briefly some mathematical ideas that were mobilized to study compressed sensing.

At its heart, compressed sensing (CS) proposes that we take seemingly 'too few' measurements of an object – so from the given data there are *many* possible reconstructions. CS selects from among the many possible candidates the one minimizing the so-called Manhattan distance.² Mathematics guarantees that the optimizing reconstruction (under conditions) is **exactly** the one we want.

The bridge between imaging and mathematics is produced by mathematical analysis of convex optimization algorithms that shows that the following statements are equivalent.

- Consider 100,000 random measurements of a 1000 by 1000 image. Suppose the underlying image has only 10,000 nonzero wavelet coefficients. With *overwhelming probability* this image can be reconstructed by minimizing the Manhattan distance of its wavelet coefficients.
- Consider a *random* subspace of Euclidean space. The certain regular dimensional apex is



900,000-dimensional linear
1,000,000-dimensional
chance that this slices into a
simplicial cone with 10,000-
negligible.

The mathematical heart of the matter is thus the following *geometric probability* problem. We are in an N -dimensional Euclidean space, N large. We consider a convex cone K with its apex at zero, and sample an M -dimensional *random* linear subspace L . What is the probability that L intersects K ? (see Figure)


As it turns out, this probability depends on the cone K , and on the dimensions M and N – let's denote it $P(K; M, N)$. The central 'surprise' of compressed sensing is that, for the cones K we are interested in, we can have $P(K; M, N)$ essentially zero, even when $M \ll N$. This mathematical fact is equivalent to saying that compressed sensing works – reconstructs the object of interest from undersampled measurements.

To get an idea how $P(K; M, N)$ behaves, we have to become comfortable with probabilities of intersections of cones and subspaces.

It is helpful to first assume the subspace L is of dimension $M=1$. Then we are asking: *if we draw a random line through the origin, what is the chance that this line intersects the cone K ?*

² Here we really mean l_1 norm. I figured that since Senator Charles Schumer would be present we really should have a way to connect to the proceedings to New York State!

Such questions have fascinated curious people for centuries. In dimension $N=3$, the probability that L intersects K is the same as the probability that a random point on the sphere S lands in a certain region, R , on the sphere. This is just the surface area of the the region R .



When R is a spherical triangle, the great mathematician Gauss found a beautiful formula for area; simply the sum of the three internal angles, minus π . This formula is easy to understand but conceals a surprising wealth of intellectual meaning.

In order to compute $P(K;M,N)$ in general, one must generalize Gauss' formula to dimension $M>1$, for the regions in question.

In the 1960's two papers by Federally-funded US university professors invented key tools to attack our problem. Harold Ruben, then at Columbia, generalized Gauss's formula for spherical triangles in dimension 3 to all higher dimensions, obtaining general formulas for the spherical volume of high-dimensional spherical simplices. Branko Grunbaum at University of Washington formalized the cone intersection probability $P(K; M,N)$ in the case $K>1$, and developed some fundamental formulas for $P(K,N,M)$.

In the 90's, German geometric probabilist Rolf Schneider and Russian probabilist Anatoly Vershik showed how to use Ruben's and Grunbaum's formulas to compute $P(K',M,N)$ for some interesting cones K' . In effect, they showed that (Ruben's generalization of) Gauss's charming formula was the heart of the matter; everything reduced to the computation of volumes of spherical simplices.

By the mid 2000's several approaches were developed to show that the central 'miracle' of compressed sensing extended over a wide range of combinations of M and N ; Candès and Tao (mentioned above) had developed by other means upper bounds on $P(K;M,N)$ establishing that there was a useful such range. NSF-funded postdoc Jared Tanner (now at Oxford) worked with me to apply geometric tools of Schneider, Vershik and Ruben to the cones K of interest. We developed precise formulas revealing the precise number of measurements needed for exact reconstruction.

Since then, slick machinery was developed by teams at Caltech, Oymak / Hassibi and Amelunxen / McCoy / Tropp to get these and many other results.³

5. The role of Federal Funding

The success story of compressed sensing is a testament to Federal funding.

Federal funding of pure and applied science has endowed the United States with research universities which are the envy of the world. Federal funding of Mathematical Sciences has led to amazing collections of sophisticated talent within those great universities, housed in departments of mathematics, applied mathematics and statistics, electrical engineering and computer science, and even in biology and chemistry departments.

These great institutions attract terrifically talented young people from around the world to come here to learn, and become part of our technical infrastructure, strengthening the next generation of US science and industry.

Federal funding enabled the breakthroughs of compressed sensing along three paths:

Federal funding enabled *basic research* in high-dimensional geometry which is at the heart of compressed sensing. Harold Ruben and Branko Grunbaum were housed in statistics and mathematics departments at US universities when they did their foundational work.

Federal funding enabled *cross-disciplinary* work that identified the key questions for mathematicians to resolve. In the late 1990's, NSF funded a joint project between optimization specialists Stephen Boyd and Michael Saunders and myself at Stanford, which studied the Manhattan metric for important data processing problems. Prior to this project, most scientists used the Crow Flight metric instead of the Manhattan metric.⁴ That project and its sequels funded work by Xiaoming Huo (Georgia Tech), Michael Elad (Technion), and myself that proved mathematically that the Manhattan metric could pick out the unique correct answer – when the answer we are seeking had a very strong mathematical sparsity property.

Federal funding enabled *focused research* to go far deeper into this surprising area and dramatically weaken the required sparsity, for example by using random measurements. Researchers Emmanuel Candès (then at Cal Tech) and Terry Tao (UCLA), and myself and many others all were supported in some way by NSF to intensively study random measurements.

³ Actually many other ways have arisen to understand these results, using sophisticated ideas from metric geometry to information theory. I would mention for example work of Roman Vershynin, Ben Recht and collaborators and of Mihailo Stojnic. But in a brief presentation for Congressional staffers, I couldn't mention all the great work being done.

⁴ Of course Crow Flight metric means standard Euclidean or l_2 distance

This is *above all* a case where the *Federal research funding system has worked*. NSF support of Mathematics and Statistics, and NIH support of Electrical Engineering and Radiology has really delivered. The research universities, such as Stanford, CalTech, UCLA and UC Berkeley – to mention only a few, have really delivered. As we have seen, industrial research groups at Siemens and GE have responded enthusiastically to the initial academic research breakthroughs.

Enabling the rapid transition were the great students and facilities available at Stanford, produced by decades of patient Federal support and also visionary campus planning and generous private donations. When Michael Lustig came to campus in the early 2000's as a graduate student of EE Professor John Pauly, his office in Packard was less than a hundred yards away from the Statistics department in Sequoia Hall, maybe 100 yards away from a GE-donated high-field MR research scanner, maybe 300 yards away from a medical MRI research facility at Stanford Medical school. In a few hours, could literally engage in impromptu conversations about high-dimensional geometry with mathematical scientists, about specific MR pulse sequences with Electrical Engineers, about specific possible clinical trials with Doctors at Stanford Hospital. This tremendous concentration of resources allowed him in his thesis to produce results which inspired many MRI researchers to pursue compressed sensing-inspired research programs.⁵ Today's Federal Funding model supported the development of such concentrated facilities and talent over decades of patient investment; the model has delivered.

The cost-benefit ratio of Mathematical research has been off-scale. The Federal government spends about \$250 Million/year on mathematics research. Yet in the US there are 40 Million MRI scans per year, incurring tens of billions in Medicaid, Medicare and other Federal costs. The financial benefits of the roughly 10-to-1 productivity improvements now being seen in MRI could soon far exceed the annual NSF budget for mathematics research.

David Donoho
Department of Statistics
Stanford University
Stanford CA 94035

[<LASTNAME> <AT> stanford.edu](mailto:<LASTNAME>@stanford.edu)

Acknowledgements: There are by now literally thousands of papers in some way concerned with Compressed Sensing. It's impossible to mention all the contributions that deserve note. I've mentioned here a select few that I could tie into the theme of a Congressional Lunch on June 28, 2017.

Thanks to Michael Lustig, Ph.D. (UC Berkeley), Edgar Mueller (Siemens Healthineers), Jason Polzin, Ph.D. (GE Global Research), and Shreyas Vasanawala M.D (Stanford), for patient instruction and clarifying explanation about MRI applications. Thanks to Ron Avitzur and Andrew Donoho for help with Pacific Tech Graphing Calculator Scripts used for the above figures and for movies which were used in the briefing. Thanks to Emmanuel Candès (Stanford) and David Eisenbud (MSRI) for helpful guidance.

⁵ Lustig credits many other MRI researchers with decisive contributions in bringing CS into MR Imaging. He says: "I would emphasize the contributions of Tobias Block [pubmed/17534903](https://pubmed.ncbi.nlm.nih.gov/17534903/) and Ricardo Otazo (with Daniel Sodickson) [pubmed/20535813](https://pubmed.ncbi.nlm.nih.gov/20535813/). These guys have taken the clinical translation of Compressed Sensing orders of magnitude forward." He also mentions key contributions of Zhi-Pei Lian of UIUC, Joshua Trzasko of Mayo Clinic, and of Alexey Samsonov and Julia Velikina UW Madison. It seems that Federal Funding was important in each case.