

# Yael Algom-Kfir

8/19/16

①

2:00 pm.

Fibration of free-by-cyclic group.

Dawdull - I Kapovich lectures.

DKL. Palm tree group.

$$F_n = \langle x_1, \dots, x_n \rangle.$$

$$\Phi \in \text{Auto}(F_n).$$

$$G_\Phi = F_n \rtimes_{\Phi} \mathbb{Z} = \langle x_1, \dots, x_n, t \mid t x_i t^{-1} = \Phi(x_i) \rangle$$

$$G_\Phi \stackrel{?}{=} G_\Psi.$$

If  $w \in F_n$ ,  $\iota_w \in \text{Aut}(F_n)$ .

$$\Phi' = \text{conj by } w = \iota_w \Phi$$

$$G_{\Phi'} = G_\Phi = G_\phi, \quad \phi \in \text{Out}(F_n), \quad \phi = [\Phi].$$

Given  $F_n \rtimes_{\phi} \mathbb{Z}$ : get  $u \in \text{Hom}(G, \mathbb{Z})$ .  
epimorphism.

$$u(F_n) = 0$$

$$u(F_n) = 0$$

$$u(t) = 1$$

Conversely,  $1 \text{ --- } \ker(u) \longrightarrow G \xrightarrow{u} \mathbb{Z} \longrightarrow 1$

$t$  defines  $\phi \in \text{Aut}(\ker(u))$ .

If  $\ker(u)$  is finit. gen. + free then

$$G = \ker(u) \rtimes_{\phi} \mathbb{Z}.$$

f.g  $\implies$  free.

Geoghan - Mahabadi - Sapir Wise

{ normal subgroup of G with quotient }  $\leftrightarrow$   $\text{Hom}(G, \mathbb{Z})$   
epi

$$\text{Hom}(G, \mathbb{Z}) \subset \text{Hom}(G, \mathbb{R})$$

$$\cong \text{Hom}(G^{\text{ab}}, \mathbb{R})$$

$\cong \mathbb{R}^b$ , where  $b = \text{rk}(G^{\text{ab}})$ .  
 If  $b=1$ , then there is only one description of  $f_n \cong \mathbb{Z}$  as free-by-cyclic group.

(ex: what auto does  $-1$  corresponds to?)  $\begin{matrix} -1 & 0 & 1 \\ | & | & | \\ \hline \end{matrix}$



If  $b > 1$ , then there are  $\infty$  many such descriptions  
 Get a topological picture:

Let  $\phi \in \text{Aut}(F_n)$ . Let  $\Gamma$  be a graph. Suppose  $\pi_1(\Gamma, *) \cong F_n$ .  
 Let  $f: \Gamma \rightarrow \Gamma$  be a linear map s.t.  $f_* \in \phi$   
 edges  $\xrightarrow{f}$  edge paths.

$$M_f = \Gamma \times [0,1] / (x,1) \sim (f(x), 0)$$

$$F_2 = \langle a, b \rangle$$

$$f: \begin{matrix} a \rightarrow a \\ b \rightarrow ab \end{matrix}$$



$$\Gamma \times I$$

$M_f \xrightarrow{P} S'$   
 fibration(?)


There is a flow,

$\Psi : M_f \times \mathbb{R}_+ \rightarrow M_f.$

$\Psi(\Psi(x, t), s) = \Psi(x, t+s).$

The interesting thing happens at  $P^{-1}(0).$

$\Psi$  descends and also  $P.$




This is called folded mapping torus.

let  $U \in \text{Hom}(G, \mathbb{R}) = H_1^*(X, \mathbb{R})$

Cell-Complex.

$Z_1, x, y, t$

$U_0$   
 $x \rightarrow 1$   
 $y \rightarrow 1$   
 $t \rightarrow 1$





$B_1: x=t$



$H_1(X, \mathbb{R}) = \langle t, y \rangle = \mathbb{R}^2.$

$u_1(2, 1).$

$Z_1: t \rightarrow 2 \rightarrow x.$   
 $y \rightarrow 1.$



$(P_1)_* = u_1 \cdot G \rightarrow \mathbb{R}.$



$$\mathbb{F}_2 \times_{\mathbb{N}} \mathbb{Z} \cong \mathbb{F}_3 \times_{\mathbb{H}} \mathbb{Z}.$$

(4)

Let define  $A_f = \left\{ u \in H(X, \mathbb{R}) \mid u = [z], z \in \mathbb{Z} \right\}$   
 for all edges in  $X$   
 $z(e) > 0$

If  $u' \in A_f$ , you a fibration  $p: X_f \rightarrow S^1$ .

s.t. it is local diff on flow lines.

$$(p')_* = u': G \rightarrow S^1.$$

no vertices.  $(p')^{-1}(\text{pt}) = \Theta_{u'}$  a finite graph.

$u'$  is primitive  $\iff \Theta_{u'}$  is connected.

and get a first return.

$$\text{map: } f_{u'}: \Theta_{u'} \rightarrow \Theta_{u'}$$

$$\text{So, } G \cong \pi_1(\Theta_{u'}) \times_{f_{u'}} \mathbb{Z}.$$

$$H_1 = \langle t, g \rangle$$

$\phi \in \text{Out}(F_n)$  There are many representatives  $f: \Gamma \rightarrow \Gamma$ .

Does  $A_f = A_{f'}$ , whenever  $[f_*] = [f'_*]$ ?

Bieri - Neuman - Streible defined an open subset  $S \subset \mathbb{R}^b$ .

In particular  $u \in \text{Hom}(G, \mathbb{R})$   
 $\ker(u)$  f-generated  $\iff u \in \Sigma \Gamma - \Sigma$ .

Q Is  $A_f$  a core over a component of  $\Sigma \cap - \Sigma$ ?

If  $f_0$  was irred. tt map  $\Rightarrow$  all  $f_u$  are irred. tt. map.

If  $\phi$  is atoroidal.  $\Leftrightarrow (G_{\phi_n}$  is Gromov-hyp.)

and fully irreducible.

$\Rightarrow$  all  $\phi_u$  are such.

Def<sup>n</sup>.  $f: \Gamma \rightarrow \Gamma$  is a linear graph map is a t.t map

if for each  $e \in \Gamma$  and  $k \in \mathbb{Z}, k > 0$   $f^k(e)$  is immersed. Irred. if  $e, e' \in \Gamma \Rightarrow \exists k$  s.t

$f^k(e)$  maps over  $e'$ .

$|f^k(\alpha)|$  grows exponentially the exp. is called the Dilatation.

## NOTETAKER CHECKLIST FORM

(Complete one for each talk.)

Name: Noureen Khan Email/Phone: noureen.khan@unt.edu/ 2142842214

Speaker's Name: Yael Algom-Kfir

Talk Title: Fibrations of free-by-cyclic groups

Date: 8 / 19 / 2016 Time: 3:15 p am / pm (circle one)

List 6-12 key words for the talk: Fibrations, dilatations, train-track maps, Dowdall-Kapovich-Leininger's construction.

Please summarize the lecture in 5 or fewer sentences: \_\_\_\_\_  
The talk was about classifying all of the fibrations over the circle of a given 3-manifold. Dowdall-Kapovich-Leininger's construction of an open cone of fibrations of a free-by-cyclic group, and their theorem that if the original outer automorphism was fully irreducible then the monodromy of each element in this cone is an irreducible train-track map.

## CHECK LIST

(This is **NOT** optional, we will **not pay** for **incomplete** forms)

- Introduce yourself to the speaker prior to the talk. Tell them that you will be the note taker, and that you will need to make copies of their notes and materials, if any.
- Obtain ALL presentation materials from speaker. This can be done before the talk is to begin or after the talk; please make arrangements with the speaker as to when you can do this. You may scan and send materials as a .pdf to yourself using the scanner on the 3<sup>rd</sup> floor.
  - **Computer Presentations:** Obtain a copy of their presentation
  - **Overhead:** Obtain a copy or use the originals and scan them
  - **Blackboard:** Take blackboard notes in black or blue **PEN**. We will **NOT** accept notes in pencil or in colored ink other than black or blue.
  - **Handouts:** Obtain copies of and scan all handouts
- For each talk, all materials must be saved in a single .pdf and named according to the naming convention on the "Materials Received" check list. To do this, compile all materials for a specific talk into one stack with this completed sheet on top and insert face up into the tray on the top of the scanner. Proceed to scan and email the file to yourself. Do this for the materials from each talk.
- When you have emailed all files to yourself, please save and re-name each file according to the naming convention listed below the talk title on the "Materials Received" check list.  
(YYYY.MM.DD.TIME.SpeakerLastName)
- Email the re-named files to [notes@msri.org](mailto:notes@msri.org) with the workshop name and your name in the subject line.